



Multihog[®]



MX RANGE

Features & Technical Specification

MX RANGE

THE FEATURES



Heavy duty articulated tractor, ideal for grass mowing, asphalt planing, hedge cutting, snow clearing & much more.



Large, air conditioned cabin with 360° visibility for the ultimate operator comfort.



130 hp (100 kw) Deutz engine, meeting Stage V (Tier 4 final) emissions requirements.



Very low vibration and noise levels (64dB) ensures high level of operator health and safety.



Fully proportional hydraulics, controlled via ergonomic joystick for smooth operation of attachments.



7000 kg (15,432 lbs) gross vehicle weight allows heavy attachments to be mounted front and rear.

POWER, COMFORT & INNOVATIVE DESIGN



One Machine - One Operator - Endless Applications



MXC SPECIFICATION


- ◆ Engine: Deutz
- ◆ Power: 130 hp (100 KW)
- ◆ Emissions class: Stage V (Tier 4 final)
- ◆ Length: 4030 mm (158.6 in)
- ◆ Width: 1300 - 1700mm (51 - 67 in)
- ◆ Height: 2170 - 2220 mm (85.4 - 87.4 in)
- ◆ Wheelbase: 2300 mm (90.5 in)
- ◆ Unladen weight: 3400 kg (7496 lb)
- ◆ Gross vehicle weight: 7000 kg (15,432 lb)
- ◆ Axle capacity, front: 3500 kg (7716 lb)
- ◆ Axle capacity, rear: 4500 kg (9920 lb)
- ◆ Load-sensing PTO hydraulics front & rear
- ◆ Hydraulic flow up to 120 l/min (31.7 gpm)
- ◆ PTO operating pressure up to 315 bar (4569 psi)



MX SPECIFICATION

- ◆ Engine: Deutz
- ◆ Power: 130 hp (100 KW)
- ◆ Emissions class: Stage V (Tier 4 final)
- ◆ Length: 4030 mm (158.6 in)
- ◆ Width: 1530 - 1700mm (60 - 67 in)
- ◆ Height: 2170 - 2220 mm (85.4 - 87.4 in)
- ◆ Wheelbase: 2300 mm (90.5 in)
- ◆ Unladen weight: 3460 kg (7628 lb)
- ◆ Gross vehicle weight: 7000 kg (15,432 lb)
- ◆ Axle capacity, front: 3500 kg (7716 lb)
- ◆ Axle capacity, rear: 4500 kg (9920 lb)
- ◆ Load-sensing PTO hydraulics front & rear
- ◆ Hydraulic flow up to 120 l/min (31.7 gpm)
- ◆ PTO operating pressure up to 315 bar (4569 psi)

Your local authorised dealer is:



- 🏠 Multihog Global Headquarters,
Finnabair Business Park, Dundalk, Co. Louth, Ireland.
- ✉ info@multihog.com
- ☎ +353 42 9386738 / 443 852 1842 (US/CA)
- 🌐 www.multihog.com

